


## Zoiper Configuration


1. Download Zoiper Free Version from:

[http://www.zoiper.com/download\\_intermediate.php?os=Windows&ap=z2&location=zoiper\\_free\\_2\\_installer\\_exe](http://www.zoiper.com/download_intermediate.php?os=Windows&ap=z2&location=zoiper_free_2_installer_exe)




2. Click on  on Zoiper Screen.

It will open below screen:




3. Click on “Add new SIP account.” on left-side menu.



Provide SIP account Name “MyNetFone” and press “OK”. It will show you next screen of Configuration document.


## 4. SIP details configuration



Configure SIP details provided from “Service Confirmation Email” and press “Apply”.


Note: Domain/Outbound proxy may vary such as sip00.mynetfone.com.au/sip10.mynetfone.com.au.

5. Go to “Audio Devices” under “Audio Options” from left-side menu



“Select input device” and “Select Output Device” depends on devices connected, such as USB will show if customer using USB devices.

6. Go to “Audio Codec” under “Audio Options” from left-side menu



Remove all codec and leave only u-law under “Selected Codecs” and press “Apply”.

Finally, Press “OK”.

## 7. Final look of Zoiper



Note: You can register/deregister SIP service by clicking on “Unregister” or “Register” button.